

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 1 of 15

### BioMed Flex 80A Resin V1

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**Product Name:** BioMed Flex 80A Resin V1

**Product code:** FLBMFL01

**UFI:** JS30-F04W-D00N-X91K

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

**Relevant identified uses:** For use in Formlabs SLA printers

**Uses advised against:** Not determined or not applicable.

**Reasons why uses advised against:** Not determined or not applicable.

### 1.3 Details of the manufacturer/supplier of the safety data sheet

**Manufacturer:**

**United States**

Formlabs, Inc  
35 Medford St  
Suite 201 Somerville, MA 02143  
+1 617 855 0762  
sds@formlabs.com

**Supplier:**

**Germany**

Formlabs GmbH  
Nalepastr. 18  
Berlin, . 12459  
+49 30 700 146 501

### 1.4 Emergency telephone number:

**European Union**

CHEMTREC (EMEA)

+44 20 3885 0382 (24/7)

## SECTION 2: Hazard(s) identification

### 2.1 Classification of the substance or mixture:

**Classification according to Regulation (EC) No. 1272/2008 (CLP):**

Skin sensitization, category 1

Chronic aquatic hazard, category 2

**Hazard-determining components of labeling:**

Urethane dimethacrylate

Photoinitiator


2-phenoxyethyl methacrylate

**Additional Information:** None

### 2.2 Label elements

**Labelling according to Regulation (EC) No 1272/2008 (CLP)**

**Hazard pictograms:**



**Signal Word:** Warning

**Hazard statements:**

H317 May cause an allergic skin reaction

H411 Toxic to aquatic life with long lasting effects

**Precautionary statements:**

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 2 of 15

### BioMed Flex 80A Resin V1

P261 Avoid breathing dust/fume/gas/mist/vapours/spray  
P272 Contaminated work clothing should not be allowed out of the workplace  
P280 Wear protective gloves, protective clothing and eye protection.  
P273 Avoid release to the environment  
P302+P352 IF ON SKIN: Wash with plenty of soap and water  
P333+P313 If skin irritation or rash occurs: Get medical advice/attention  
P363 Wash contaminated clothing before reuse  
P391 Collect spillage  
P501 Dispose of contents and container in accordance with local, regional, national, and international regulations.

2.3 Other hazards: None known

### SECTION 3: Composition/information on ingredients

3.1 Substance: Not applicable.

3.2 Mixture:

Identification	EU REACH Registration No.	Name	Classification according to Regulation (EC) No. 1272/2008 (CLP)	Weight %
CAS number: 10595-06-9 EC number: 234-201-1	-	2-phenoxyethyl methacrylate	Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 2; H411 Eye Irrit. 2; H319	15-25
CAS number: 72869-86-4 EC number: 276-957-5	-	Urethane dimethacrylate	Skin Sens. 1; H317 Aquatic Chronic 2; H411	5-10
CAS number: Proprietary EC number: Not Applicable	-	Methacrylate Ester Monomer	Not classified;	65-85
CAS number: Trade Secret EC number: Trade Secret	-	Photoinitiator	Aquatic Chronic 4; H413 Skin Sens. 1A; H317	1-2

Additional information: None

Full Text of H and EUH statements: See section 16

### SECTION 4: First aid measures

4.1 Description of first aid measures

**General notes:**

Show this Safety Data Sheet to the doctor in attendance.

**Following inhalation:**

If inhaled, remove person to fresh air and place in a position comfortable for breathing. If respiratory symptoms develop or persist, seek medical advice/attention.

**Following skin contact:**

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 3 of 15

### BioMed Flex 80A Resin V1

Wash affected area with plenty of soap and water. Remove contaminated clothing and laundry before reuse. If skin irritation develops or persists, seek medical advice/attention.

#### Following eye contact:

Immediately rinse eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 15 minutes. If eye irritation develops or persists, seek medical advice/attention.

#### Following ingestion:

If swallowed, DO NOT induce vomiting unless told to do so by a physician or poison control center. Rinse mouth with water. Never give anything by mouth to an unconscious person. If spontaneous vomiting occurs, place on the left side with head down to prevent aspiration of liquid into the lungs. If symptoms develop or persist, seek medical advice/attention.

#### Self-Protection of the first aider:

Not determined or not available.

### 4.2 Most important symptoms and effects, both acute and delayed

#### Acute symptoms and effects:

Dermal exposure may cause an allergic skin reaction. Symptoms may include irritation, redness, pain, rash, inflammation, itching, burning and dermatitis.

#### Delayed symptoms and effects:

Effects are dependent on exposure (dose, concentration, contact time).

### 4.3 Indication of any immediate medical attention and special treatment needed

#### Specific treatment:

Not determined or not available.

#### Notes for the doctor:

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media:

Water mist/fog, carbon dioxide, dry chemical or alcohol resistant foam.

#### Unsuitable extinguishing media:

Do not use water jet.

### 5.2 Special hazards arising from the substance or mixture:

Thermal decomposition may produce irritating/toxic fumes/gases.

### 5.3 Advice for firefighters

#### Personal protection equipment:

Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA).

#### Special precautions:

Avoid contact with skin, eyes, hair and clothing. Do not breathe fumes/gas/mists/aerosols/vapors/dusts. Move containers from fire area if safe to do so. Use water spray/fog for cooling fire exposed containers. Avoid unnecessary run-off of extinguishing media which may cause pollution.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

Evacuate unnecessary personnel. Ventilate area. Extinguish any sources of ignition. Wear recommended personal protective equipment (see Section 8). Avoid contact with skin, eyes and clothing. Avoid breathing mist, vapor, dust, fume and spray. Do not walk through spilled material. Wash thoroughly after handling.

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 4 of 15

### BioMed Flex 80A Resin V1

#### 6.2 Environmental precautions:

Prevent further leakage or spillage if safe to do so. Prevent from reaching drains, sewers and waterways. Discharge into the environment must be avoided.

#### 6.3 Methods and material for containment and cleaning up:

Do not touch damaged containers or spilled material unless wearing appropriate personal protective clothing. Stop leak if you can do it without risk. Contain and collect spillage and place in suitable container for future disposal. Dispose of in accordance with all applicable regulations (see Section 13).

#### 6.4 Reference to other sections:

For personal protective equipment see Section 8. For disposal see Section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling:

Use appropriate personal protective equipment (see Section 8). Use only with adequate ventilation. Avoid breathing mist/vapor/spray/dust. Do not eat, drink, smoke, or use personal products when handling chemical substances. Avoid contact with skin, eyes and clothing. Wash affected areas thoroughly after handling. Keep away from incompatible materials (See Section 10). Keep containers tightly closed when not in use.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in cool, dry, well-ventilated location out of direct sunlight. Keep away from food and beverages. Protect from freezing and physical damage. Store away from heat, open flames and other sources of ignition. Keep container tightly sealed. Store away from incompatible materials (See Section 10).

#### 7.3 Specific end use(s):

Refer to Section 1 (Recommended Use).

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Only those substances with limit values have been included below.

##### Occupational Exposure limit values:

No occupational exposure limits noted for the ingredient(s).

##### Biological limit values:

No biological exposure limits noted for the ingredient(s).

##### Derived No Effect Level (DNEL):

**Ingredient Name:** Urethane dimethacrylate

**CAS #:** 72869-86-4

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No exposure expected
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	3.3 mg/m <sup>3</sup>
	Chronic - Dermal	1.3 mg/kg bw/day
Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No exposure expected
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No exposure expected
	Chronic - Dermal	Hazard identified but no DNEL available

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 5 of 15

### BioMed Flex 80A Resin V1

General Population - Systemic Effects	Acute - Oral	No hazard identified
	Acute - Inhalation	No exposure expected
	Acute - Dermal	No hazard identified
	Chronic - Oral	0.3 mg/kg bw/day
	Chronic - Inhalation	0.6 mg/m <sup>3</sup>
	Chronic - Dermal	0.7 mg/kg bw/day
General Population - Local Effect	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No exposure expected
	Acute - Dermal	No exposure expected
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No exposure expected
	Chronic - Dermal	Hazard identified but no DNEL available

**Ingredient Name:** Photoinitiator

**CAS #:** Trade Secret

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Not determined or not applicable.
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	21 mg/m <sup>3</sup>
	Chronic - Dermal	3 mg/kg bw/day
Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Not determined or not applicable.
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	Not determined or not applicable.
	Chronic - Dermal	Hazard identified but no DNEL available
General Population - Systemic Effects	Acute - Oral	No hazard identified
	Acute - Inhalation	Not determined or not applicable.
	Acute - Dermal	No hazard identified
	Chronic - Oral	1.5 mg/kg bw/day
	Chronic - Inhalation	5.2 mg/m <sup>3</sup>
	Chronic - Dermal	1.5 mg/kg bw/day
General Population - Local Effect	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Not determined or not applicable.
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	Not determined or not applicable.
	Chronic - Dermal	Hazard identified but no DNEL available

**Ingredient Name:** 2-phenoxyethyl methacrylate

**CAS #:** 10595-06-9

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 6 of 15

### BioMed Flex 80A Resin V1

Workers - Systemic Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Not determined or not applicable.
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	12 mg/m <sup>3</sup>
	Chronic - Dermal	3.5 mg/kg bw/day
Workers - Local Effects	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	Not determined or not applicable.
	Acute - Dermal	Hazard identified but no DNEL available
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	84 mg/m <sup>3</sup>
	Chronic - Dermal	No hazard identified
General Population - Systemic Effects	Acute - Oral	No hazard identified
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	No hazard identified
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	No hazard identified
General Population - Local Effect	Acute - Oral	Not determined or not applicable.
	Acute - Inhalation	No hazard identified
	Acute - Dermal	No hazard identified
	Chronic - Oral	Not determined or not applicable.
	Chronic - Inhalation	No hazard identified
	Chronic - Dermal	No hazard identified

**Predicted No Effect Concentration (PNEC):**

**Ingredient Name:** Urethane dimethacrylate

**CAS #:** 72869-86-4

Environmental Protection Target	PNEC
Fresh water	0.01 mg/L
Freshwater sediments	4.56 mg/kg sediment dw
Marine water	0.001 mg/L
Marine sediments	0.46 mg/kg sediment dw
Microorganisms in sewage treatment	3.61 mg/L
Soil (agricultural)	0.91 mg/kg soil dw
Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

**Ingredient Name:** Photoinitiator

**CAS #:** Trade Secret

Environmental Protection Target	PNEC
Fresh water	0.8 µg/L
Freshwater sediments	0.712 mg/kg
Marine water	0.8 µg/L
Marine sediments	0.712 mg/kg
Microorganisms in sewage treatment	Not determined or not available.

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 7 of 15

### BioMed Flex 80A Resin V1

Soil (agricultural)	0.012 mg/kg soil dw
Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

**Ingredient Name:** 2-phenoxyethyl methacrylate

**CAS #:** 10595-06-9

Environmental Protection Target	PNEC
Fresh water	14.2 µg/L
Freshwater sediments	0.665 mg/kg sediment dw
Marine water	1.42 µg/L
Marine sediments	0.067 mg/kg sediment dw
Microorganisms in sewage treatment	1.77 mg/L
Soil (agricultural)	0.125 mg/kg soil dw
Air	No hazard identified
Oral (Secondary Poisoning)	No exposure expected

#### Information on monitoring procedures:

Not determined or not applicable.

## 8.2 Exposure controls

### Appropriate engineering controls:

Emergency eye wash stations and safety showers should be available in the immediate vicinity of use or handling. Provide adequate ventilation to maintain the airborne concentrations of vapor, mists, and/or dusts below the applicable workplace exposure limits, while observing recognized national standards (or equivalent).

### Personal protection equipment

#### Eye and face protection:

Safety glasses or goggles. Use eye protection equipment that has been tested and approved by recognized national standards (or equivalent).

#### Skin and body protection:

Chemical resistant, impervious gloves approved by the appropriate standards. Gloves must be inspected prior to use. Avoid skin contact with used gloves. Appropriate techniques should be used to remove used gloves and contaminated clothing. Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Ensure that all personal protective equipment is approved by recognized national standards (or equivalent).

#### Respiratory protection:

If engineering controls do not maintain airborne concentrations below the applicable workplace exposure limits, or to an acceptable level (if exposure limits have not been established), a respirator approved by recognized national standards (or equivalent) must be worn.

### General hygienic measures:

When handling chemical products, do not eat, drink or smoke. Wash hands after handling, before breaks, and at the end of the workday. Avoid contact with skin, eyes and clothing. Wash contaminated clothing before reuse. Perform routine housekeeping.

### Environmental exposure controls:

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Product (substance / mixture) related measures to prevent exposure:	Not determined or not applicable.
Instruction measures to prevent exposure:	Not determined or not applicable.

# Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 8 of 15

## BioMed Flex 80A Resin V1

Organisational measures to prevent exposure:	Not determined or not applicable.
Technical measures to prevent exposure:	Not determined or not applicable.

### Risk management measures to control exposure:

Not determined or not applicable.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical State	Light blue liquid
Color	Not determined or not available.
Odor/Odor threshold	Characteristic acrylate
pH	Not determined or not available.
Melting point/freezing point	Not determined or not available.
Initial boiling point/range	>100°C
Flash point (closed cup)	>93.5°C
Flammability	Not flammable
Upper flammability/explosive limit	Not determined or not available.
Lower flammability/explosive limit	Not determined or not available.
Vapor pressure	Not determined or not available.
Relative vapor density	Not determined or not available.
Density	1.05 g/cm <sup>3</sup>
Relative density	Not determined or not available.
Solubilities	Not determined or not available.
Partition coefficient (n-octanol/water)	Not determined or not available.
Auto/Self-ignition temperature	Not determined or not available.
Decomposition temperature	Not determined or not available.
Kinematic viscosity	Not determined or not available.
Particle characteristics	Not determined or not available.

### 9.2 Other information

#### 9.2.1 Information with regard to physical hazard classes

Explosives	No data available/Not applicable
Flammable gases	No data available/Not applicable
Aerosols	No data available/Not applicable
Oxidizing gases	No data available/Not applicable
Gases under pressure	No data available/Not applicable
Flammable liquids	No data available/Not applicable
Flammable solids	No data available/Not applicable
Self-reactive substances and mixtures	No data available/Not applicable
Pyrophoric liquids	No data available/Not applicable
Pyrophoric solids	No data available/Not applicable
Self-heating substances and mixtures	No data available/Not applicable



## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 9 of 15

### BioMed Flex 80A Resin V1

<b>Substances and mixtures, which emit flammable gases in contact with water</b>	No data available/Not applicable
<b>Oxidizing liquids</b>	No data available/Not applicable
<b>Oxidizing solids</b>	No data available/Not applicable
<b>Organic peroxides</b>	No data available/Not applicable
<b>Corrosive to metals</b>	No data available/Not applicable
<b>Desensitized explosives</b>	No data available/Not applicable

#### 9.2.2 Other safety characteristics

<b>Dynamic viscosity</b>	3000 cps @25°C
--------------------------	----------------

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity:

Not reactive under recommended handling and storage conditions.

#### 10.2 Chemical stability:

Stable under recommended handling and storage conditions.

#### 10.3 Possibility of hazardous reactions:

Hazardous reactions are not anticipated under recommended conditions of handling and storage.  
Stable under recommended handling and storage conditions.

#### 10.4 Conditions to avoid:

Extreme heat, open flames, hot surfaces, sparks, ignition sources and incompatible materials.  
Avoid storage >38°C (100°F) and exposure to light/direct sunlight and heat.

#### 10.5 Incompatible materials:

Polymerization initiators, including peroxides, strong oxidizing agents, alcohols, copper, copper alloys, carbon steel, iron, rust, and strong bases.

#### 10.6 Hazardous decomposition products:

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

##### Substance data:

Name	Route	Result
Urethane dimethacrylate	oral	LD50 Rat: >5000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg
Photoinitiator	oral	LD50 Rat: >2000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg
Methacrylate Ester Monomer	oral	LD50 Rat: 5050 mg/kg
	dermal	LD50 Rabbit: > 3000 mg/kg
2-phenoxyethyl methacrylate	oral	LD50 Rat: >5000 mg/kg
	dermal	LD50 Rat: >2000 mg/kg

#### Skin corrosion/irritation

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 10 of 15

### BioMed Flex 80A Resin V1

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

Name	Result
2-phenoxyethyl methacrylate	Causes skin irritation.

#### Serious eye damage/irritation

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:**

Name	Result
2-phenoxyethyl methacrylate	Causes serious eye irritation.

#### Respiratory or skin sensitization

**Assessment:**

May cause an allergic skin reaction.

**Product data:**

No data available.

**Substance data:**

Name	Result
Urethane dimethacrylate	May cause an allergic skin reaction.
Photoinitiator	May cause an allergic skin reaction.
2-phenoxyethyl methacrylate	May cause an allergic skin reaction.

#### Carcinogenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

**International Agency for Research on Cancer (IARC):**

Name	Classification
Urethane dimethacrylate	Not Applicable
Photoinitiator	Not Applicable
2-phenoxyethyl methacrylate	Not Applicable

#### Germ cell mutagenicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

#### Reproductive Toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Specific target organ toxicity (single exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 11 of 15

### BioMed Flex 80A Resin V1

No data available.

**Substance data:** No data available.

#### Specific target organ toxicity (repeated exposure)

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Aspiration toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:**

No data available.

**Substance data:** No data available.

#### Information on likely routes of exposure:

No data available.

#### Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

### 11.2 Information on other hazards

#### Endocrine disrupting properties:

**Substance data:** No data available.

#### Other information:

No data available.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Acute (short-term) toxicity

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:**

Name	Result
Urethane dimethacrylate	Fish LC50 Danio rerio: 10.1 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: > 1.2 mg/L (48 hr)
Photoinitiator	Aquatic Plants EC50 Green algae: >0.26 mg/L (72 hr [growth rate])
	Fish LC50 Freshwater fish: >0.09 mg/L (96 hr)
	Aquatic Invertebrates EC50 Not specified: >1.175 mg/L (48 hr [mobility])
Methacrylate Ester Monomer	Fish LC50 Pimephales promelas: 227 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: > 380 mg/L (48 hr)
2-phenoxyethyl methacrylate	Fish LC50 Leuciscus idus: 10 mg/L (96 hr)
	Aquatic Invertebrates EC50 Daphnia magna: 1.21 mg/L (48 hr [read-across])
	Aquatic Plants EC50 Desmodemus subspicatus: 4.4 mg/L (72 hr [growth rate])

#### Chronic (long-term) toxicity

**Assessment:**

Toxic to aquatic life with long lasting effects.

**Product data:** No data available.

**Substance data:**

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 12 of 15

### BioMed Flex 80A Resin V1

Name	Result
Urethane dimethacrylate	Aquatic Plants NOEC <i>Desmodesmus subspicatus</i> : 0.21 mg/L (72 hr)
2-phenoxyethyl methacrylate	Aquatic Invertebrates EC10 <i>Daphnia magna</i> : 1 mg/L (21 d [read-across])

#### 12.2 Persistence and degradability

**Product data:** No data available.

**Substance data:**

Name	Result
Urethane dimethacrylate	The substance is not readily biodegradable (22% degradation in 28 days).
Photoinitiator	This substance is not readily biodegradable. No degradation was observed during 28 day test period.
2-phenoxyethyl methacrylate	The substance is not readily biodegradable. 22.3% degradation in water, measured by O <sub>2</sub> consumption, after 28 days.

#### 12.3 Bioaccumulative potential

**Product data:** No data available.

**Substance data:**

Name	Result
Photoinitiator	Bioaccumulation is not expected. BCF (aquatic species): 5 dimensionless
2-phenoxyethyl methacrylate	The substance has a low potential for bioaccumulation based on a log K <sub>ow</sub> of <3.

#### 12.4 Mobility in soil

**Product data:** No data available.

**Substance data:**

Name	Result
Urethane dimethacrylate	The substance has moderate potential to adsorb to organic soil and sediment particles (log K <sub>oc</sub> : 3.66 dimensionless).
Photoinitiator	Based upon the log K <sub>oc</sub> of 3.85 an adsorption to the soil is expected.
2-phenoxyethyl methacrylate	The substance is moderately mobile in soil with a moderate potential for adsorption to soil and sediment. Calculated K <sub>oc</sub> : 432 L/kg

#### 12.5 Results of PBT and vPvB assessment

**Product data:**

**PBT assessment:** This product does not contain any substances that are assessed to be a PBT.

**vPvB assessment:** This product does not contain any substances that are assessed to be a vPvB.

**Substance data:**

**PBT assessment:**

Urethane dimethacrylate	This substance is not PBT.
Photoinitiator	This substance is not PBT.
2-phenoxyethyl methacrylate	Substance is not PBT.

**vPvB assessment:**

Urethane dimethacrylate	This substance is not vPvB.
Photoinitiator	This substance is not vPvB.
2-phenoxyethyl methacrylate	Substance is not vPvB.

#### 12.6 Endocrine disrupting properties

**Substance data:** No data available.

#### 12.7 Other adverse effects: No data available.

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 13 of 15

### BioMed Flex 80A Resin V1

#### 12.8 Hazard to the ozone layer

**Assessment:** Based on available data, the classification criteria are not met.

**Product data:** No data available.

**Substance data:** No data available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### 13.1.1 Product / Packaging disposal:

Dispose contaminated packages in a safe manner in accordance with local and national regulations. Do not allow the product to be released into the environment.

**Waste codes / waste designations according to LoW:** Not determined or not available.

##### 13.1.2 Waste treatment-relevant information:

Not determined or not available.

##### 13.1.3 Sewage disposal-relevant information:


Not determined or not available.

##### 13.1.4 Other disposal recommendations:


Do not discharge into public wastewater or surface waters. It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

### SECTION 14: Transport information

#### International Carriage of Dangerous Goods by Road/Rail (ADR/RID)

UN number or ID number	UN 3082
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Methacrylate Polymer
UN transport hazard class(es)	9 
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
Additional Information	This product is not regulated as a dangerous good when transported in sizes of $\leq 5L$ provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

#### International Carriage of Dangerous Goods by Inland Waterways (ADN)

UN number or ID number	UN 3082
UN proper shipping name	Environmentally hazardous liquid, N.O.S. Methacrylate Polymer
UN transport hazard class(es)	9 
Packing group	III
Environmental hazards	Marine Pollutant
Special precautions for user	None
Additional Information	This product is not regulated as a dangerous good when transported in sizes of $\leq 5L$ provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

#### International Maritime Dangerous Goods (IMDG)

UN number or ID number	UN 3082
------------------------	---------


## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.


Initial preparation date: 2023-09-21

Page 14 of 15

### BioMed Flex 80A Resin V1

<b>UN proper shipping name</b>	Environmentally hazardous liquid, N.O.S. Methacrylate Polymer
<b>UN transport hazard class(es)</b>	9 
<b>Packing group</b>	III
<b>Environmental hazards</b>	Marine Pollutant
<b>Special precautions for user</b>	None
<b>Additional Information</b>	This product is not regulated as a dangerous good when transported in sizes of ≤5L provided the packaging meets the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1.4 to 4.1.1.8.

### International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

<b>UN number or ID number</b>	UN 3082
<b>UN proper shipping name</b>	Environmentally hazardous liquid, N.O.S. Methacrylate Polymer
<b>UN transport hazard class(es)</b>	9 
<b>Packing group</b>	III
<b>Environmental hazards</b>	Marine Pollutant
<b>Special precautions for user</b>	None
<b>Additional Information</b>	This product is not regulated as a dangerous good when transported in sizes of ≤5L provided the packaging meets the general provisions of 5.0.2.4.1, 5.0.2.6.1 and 5.0.2.8.

### Maritime Transport in Bulk according to IMO Instruments

<b>Bulk Name</b>	None
<b>Ship type</b>	None
<b>Pollution category</b>	None
<b>IMO hazard class</b>	None
<b>Environmental hazards</b>	None
<b>Material hazardous only in bulk</b>	None
<b>Cargo Group</b>	None

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

##### European regulations

##### Inventory listing (EINECS):

72869-86-4	Urethane dimethacrylate	Listed
Trade Secret	Photoinitiator	Not Listed
Trade Secret	Photoinitiator	Not Listed
Proprietary	Methacrylate Ester Monomer	Listed
10595-06-9	2-phenoxyethyl methacrylate	Listed

**REACH SVHC candidate list:** None of the ingredients are listed.

## Safety Data Sheet

According to Regulation (EC) No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and (EC) No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878.

Initial preparation date: 2023-09-21

Page 15 of 15

### BioMed Flex 80A Resin V1

**REACH SVHC Authorizations:** None of the ingredients are listed.

**REACH Restriction:** None of the ingredients are listed.

**Water hazard class (WGK) (Product):** Not determined.

**Water hazard class (WGK) (Substance):**

Ingredient Name	CAS	Class
Urethane dimethacrylate	72869-86-4	Water hazard class 1: slightly hazardous to water
Photoinitiator	Trade Secret	Water hazard class 1: slightly hazardous to water
2-phenoxyethyl methacrylate	10595-06-9	Water hazard class 2: obviously hazardous to water

#### Other regulations

**Germany TA Luft:** None of the ingredients are listed.

**Additional information:** Not determined.

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### SECTION 16: Other information

**Abbreviations and Acronyms:** None

**Classification procedure:**

Classification according to Regulation (EC) No. 1272/2008 (CLP)	Method Used
Skin sensitization, category 1	Calculation method
Chronic aquatic hazard, category 2	Calculation method

**Summary of classification(s) in section 3:**

Skin Irrit. 2	Skin irritation, category 2
Skin Sens. 1A	Skin sensitization, category 1A
Aquatic Chronic 2	Chronic aquatic hazard, category 2
Eye Irrit. 2	Eye Irritation, category 2
Skin Sens. 1	Skin sensitization, category 1
Aquatic Chronic 4	Chronic aquatic hazard, category 4

**Summary of hazard statements in section 3:**

H315	Causes skin irritation
H317	May cause an allergic skin reaction
H411	Toxic to aquatic life with long lasting effects
H319	Causes serious eye irritation
H413	May cause long lasting harmful effects to aquatic life

#### Disclaimer:

This product has been classified in accordance with EC No. 1272/2008 (CLP), as amended by Commission Regulation (EU) 2019/521 and Commission Delegated Regulation (EU) 2020/217, and EC No. 1907/2006 (REACH), as amended by Commission Regulation (EU) 2020/878. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation, and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 2023-09-21

End of Safety Data Sheet