



Safety Information Sheet for Medical Devices

Copyright,2023, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	41-4437-4	Version number:	2.00
Revision date:	04/01/2023	Supersedes date:	02/02/2022

A safety data sheet is not required for this Product. This Safety Information Sheet has been created on a voluntary basis.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M™ Scotchbond™ Universal Plus Vial (41294, 41295, 41296, 41307)

Product Identification Numbers

UU-0109-0661-6	UU-0109-0662-4	UU-0109-0663-2	UU-0109-6372-4	UU-0109-6373-2
7100227711	7100227712	7100227710	4100046862	4100046865

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Medical device; refer to Instructions for Use

Restrictions on Use

Dental Adhesive

1.3 Details of the supplier of the safety information sheet for medical devices

Address:	3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.
Telephone:	+44 (0)1344 858 000
E Mail:	tox.uk@mmm.com
Website:	www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

This material has been tested for skin corrosion/irritation and the test results are reflected in the assigned classification.

This product is a medical device as defined in Directive 93/42/EEC (MDD) respectively Regulation (EU) 2017/745 (MDR), which is invasive or used in direct physical contact with the human body, and therefore is exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). Although not required, the classification and label information, as applicable, is provided below.

CLASSIFICATION:

Flammable Liquid, Category 2 - Flam. Liq. 2; H225

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Serious Eye Damage/Eye Irritation, Category 1 - Eye Dam. 1; H318

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Reproductive Toxicity, Category 1B - Repr. 1B; H360F

Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

DANGER.

Symbols

GHS02 (Flame) | GHS05 (Corrosion) | GHS07 (Exclamation mark) | GHS08 (Health Hazard) |

Pictograms



Ingredients:

Ingredient	CAS Nbr	EC No.	% by Wt
Methacrylate (HEMA)	868-77-9	212-782-2	15 - 25
Phosphorylated methacrylate	1207736-18-2	944-391-4	< 20
Aromatic amine	10287-53-3	233-634-3	< 2

HAZARD STATEMENTS:

H225	Highly flammable liquid and vapour.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H317	May cause an allergic skin reaction.
H360F	May damage fertility.
H412	Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P201	Obtain special instructions before use.
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280B	Wear protective gloves and eye/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTRE or doctor/physician.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

For containers not exceeding 125 ml the following Hazard and Precautionary statements may be used:

<=125 ml Hazard statements

H318 Causes serious eye damage.
 H317 May cause an allergic skin reaction.
 H360F May damage fertility.

 H412 Harmful to aquatic life with long lasting effects.

<=125 ml Precautionary statements

Prevention:

P201 Obtain special instructions before use.
 P280B Wear protective gloves and eye/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTRE or doctor/physician.
 P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

SUPPLEMENTAL INFORMATION:

Supplemental Precautionary Statements:

Restricted to professional users.

2.3. Other hazards

For information on hazards and safe use, please consider the corresponding sections of this document. This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Bromited dimethacrylate	(CAS-No.) 2305048-54-6 (EC-No.) 944-271-1	25 - 35	Skin Irrit. 2, H315 Skin Sens. 1B, H317
Methacrylate (HEMA)	(CAS-No.) 868-77-9 (EC-No.) 212-782-2	15 - 25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Nota D
Phosphorylated methacrylate	(CAS-No.) 1207736-18-2 (EC-No.) 944-391-4	< 20	Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400,M=1 Aquatic Chronic 2, H411

Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	5 - 15	Substance not classified as hazardous
Ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6	5 - 15	Flam. Liq. 2, H225 Eye Irrit. 2, H319
Silane treated silica	(CAS-No.) 2680625-03-8	5 - 15	Substance not classified as hazardous
Silica	(CAS-No.) 112945-52-5	1 - 10	Substance with a national occupational exposure limit
Methacrylated silane	(CAS-No.) 21142-29-0 (EC-No.) 244-239-0	< 5	Substance not classified as hazardous
Dimethacrylate	(CAS-No.) 2358-84-1 (EC-No.) 219-099-9	< 0.5	Skin Sens. 1B, H317
Aminopropylsilane	(CAS-No.) 919-30-2 (EC-No.) 213-048-4	< 0.5	Acute Tox. 4, H302 Skin Corr. 1B, H314 Skin Sens. 1B, H317
Camphorquinone	(CAS-No.) 10373-78-1 (EC-No.) 233-814-1	< 2	Substance not classified as hazardous
Aromatic amine	(CAS-No.) 10287-53-3 (EC-No.) 233-634-3	< 2	Aquatic Chronic 2, H411 Repr. 1B, H360F
Polymeric acid	(CAS-No.) 25948-33-8	< 2	Substance not classified as hazardous
Copper salt	(CAS-No.) 6046-93-1	< 0.1	Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 Aquatic Acute 1, H400,M=10 Aquatic Chronic 1, H410,M=10

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.

Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

Ingredient	Identifier(s)	Specific Concentration Limits
Ethyl alcohol	(CAS-No.) 64-17-5 (EC-No.) 200-578-6	(C >= 50%) Eye Irrit. 2, H319

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SIS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

If swallowed

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
formaldehyde	During combustion.
Carbon monoxide	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.
Oxides of nitrogen.	During combustion.

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SIS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire extinguishing foam that is resistant to polar solvents. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible.

SECTION 7: Handling and storage

Refer to Instructions for Use (IFU) for more information.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Silicon dioxide	112945-52-5	UK HSC	TWA(as respirable dust):2.4 mg/m ³ ;TWA(as inhalable dust):6 mg/m ³	
Ethyl alcohol	64-17-5	UK HSC	TWA:1920 mg/m ³ (1000 ppm)	

UK HSC : UK Health and Safety Commission
 TWA: Time-Weighted-Average
 STEL: Short Term Exposure Limit
 CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety information sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
 Safety glasses with side shields.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Viscous Liquid
Colour	Yellow
Odor	Alcohol
Melting point/freezing point	<i>No data available.</i>
Boiling point/boiling range	> 78 °C
Flammability (solid, gas)	Not applicable.
Flammable Limits(LEL)	<i>No data available.</i>
Flammable Limits(UEL)	<i>No data available.</i>
Flash point	approximately 21 °C [Test Method:Closed Cup]
Autoignition temperature	<i>No data available.</i>
Relative density	approximately 1.1
pH	
Kinematic Viscosity	<i>Not applicable.</i>
Water solubility	Appreciable

Density approximately 1.1 g/cm³

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds	<i>No data available.</i>
Evaporation rate	<i>No data available.</i>
Percent volatile	<i>No data available.</i>

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

<u>Substance</u>	<u>Condition</u>
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain.
Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Ingestion

Gastrointestinal corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea; blood in the faeces and/or vomitus may also be seen. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Additional information:

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Bromited dimethacrylate	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Bromited dimethacrylate	Ingestion	Rat	LD50 > 2,000 mg/kg
Methacrylate (HEMA)	Dermal	Rabbit	LD50 > 5,000 mg/kg
Methacrylate (HEMA)	Ingestion	Rat	LD50 5,564 mg/kg
Ethyl alcohol	Dermal	Rabbit	LD50 > 15,800 mg/kg
Ethyl alcohol	Inhalation-Vapour (4 hours)	Rat	LC50 124.7 mg/l
Ethyl alcohol	Ingestion	Rat	LD50 17,800 mg/kg
Phosphorylated methacrylate	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Phosphorylated methacrylate	Ingestion	Rat	LD50 > 2,000 mg/kg
Silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Silica	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Silica	Ingestion	Rat	LD50 > 5,110 mg/kg
Camphorquinone	Dermal	Professional judgement	LD50 estimated to be 2,000 - 5,000 mg/kg
Camphorquinone	Ingestion	Rat	LD50 > 2,000 mg/kg
Polymeric acid	Ingestion	Rat	LD50 > 5,000 mg/kg
Polymeric acid	Dermal	similar health hazards	LD50 estimated to be > 5,000 mg/kg
Aromatic amine	Dermal	Rat	LD50 > 2,000 mg/kg
Aromatic amine	Ingestion	Rat	LD50 > 2,000 mg/kg
Dimethacrylate	Dermal	similar compounds	LD50 > 2,000 mg/kg
Dimethacrylate	Ingestion	similar compounds	LD50 Not available.
Aminopropylsilane	Dermal	Rabbit	LD50 4,290 mg/kg
Aminopropylsilane	Ingestion	Rat	LD50 1,570 mg/kg
Copper salt	Dermal	Rat	LD50 > 2,000 mg/kg
Copper salt	Ingestion	Rat	LD50 > 300, < 2000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Overall product	In vitro data	Irritant
Bromited dimethacrylate	In vitro data	Irritant
Methacrylate (HEMA)	Rabbit	Minimal irritation
Ethyl alcohol	Rabbit	No significant irritation
Phosphorylated methacrylate	In vitro data	Corrosive
Silica	Rabbit	No significant irritation
Aromatic amine	Rabbit	No significant irritation
Dimethacrylate	similar compounds	No significant irritation
Aminopropylsilane	Rabbit	Corrosive
Copper salt	In vitro data	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
Bromited dimethacrylate	In vitro data	No significant irritation
Methacrylate (HEMA)	Rabbit	Moderate irritant
Ethyl alcohol	Rabbit	Severe irritant
Phosphorylated methacrylate	In vitro data	Corrosive
Silica	Rabbit	No significant irritation
Aromatic amine	Rabbit	No significant irritation
Dimethacrylate	similar compounds	No significant irritation
Aminopropylsilane	Rabbit	Corrosive
Copper salt	Rabbit	Corrosive

Skin Sensitisation

Name	Species	Value
Bromited dimethacrylate	Professional judgement	Sensitising
Methacrylate (HEMA)	Human and animal	Sensitising
Ethyl alcohol	Human	Not classified
Phosphorylated methacrylate	Mouse	Sensitising
Silica	Human and animal	Not classified
Aromatic amine		Not classified
Dimethacrylate	similar compounds	Sensitising
Aminopropylsilane	Guinea pig	Sensitising
Copper salt	Guinea pig	Not classified

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Bromited dimethacrylate	In vivo	Not mutagenic
Bromited dimethacrylate	In Vitro	Some positive data exist, but the data are not sufficient for classification
Methacrylate (HEMA)	In vivo	Not mutagenic
Methacrylate (HEMA)	In Vitro	Some positive data exist, but the data are not sufficient for classification
Ethyl alcohol	In Vitro	Some positive data exist, but the data are not sufficient for classification
Ethyl alcohol	In vivo	Some positive data exist, but the data are not sufficient for classification
Phosphorylated methacrylate	In Vitro	Not mutagenic
Silica	In Vitro	Not mutagenic
Aromatic amine	In vivo	Not mutagenic
Aromatic amine	In Vitro	Some positive data exist, but the data are not sufficient for classification
Dimethacrylate	In Vitro	Not mutagenic
Copper salt	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Ethyl alcohol	Ingestion	Multiple animal species	Some positive data exist, but the data are not sufficient for classification
Silica	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Bromited dimethacrylate	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	prematuring into lactation
Bromited dimethacrylate	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	29 days
Bromited dimethacrylate	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	prematuring into lactation
Methacrylate (HEMA)	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	prematuring & during gestation
Methacrylate (HEMA)	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	49 days
Methacrylate (HEMA)	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	prematuring & during gestation
Ethyl alcohol	Inhalation	Not classified for development	Rat	NOAEL 38 mg/l	during gestation
Ethyl alcohol	Ingestion	Not classified for development	Rat	NOAEL 5,200 mg/kg/day	prematuring & during gestation
Silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Aromatic amine	Ingestion	Not classified for female reproduction	Rat	NOAEL 600 mg/kg/day	prematuring into lactation
Aromatic amine	Ingestion	Not classified for development	Rat	NOAEL 50 mg/kg/day	prematuring into lactation
Aromatic amine	Ingestion	Toxic to male reproduction	Rat	NOAEL 50 mg/kg/day	53 days

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Bromited dimethacrylate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Ethyl alcohol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	LOAEL 9.4 mg/l	not available
Ethyl alcohol	Inhalation	central nervous system depression	Not classified	Human and animal	NOAEL not available	
Ethyl alcohol	Ingestion	central nervous system depression	Not classified	Multiple animal species	NOAEL not available	
Ethyl alcohol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 3,000 mg/kg	
Phosphorylated methacrylate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Polymeric acid	Ingestion	nervous system	Not classified	Rat	NOAEL 5,000 mg/kg	
Copper salt	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Bromited dimethacrylate	Ingestion	heart endocrine system gastrointestinal tract bone, teeth, nails, and/or hair hematopoietic system liver immune system muscles nervous system eyes kidney and/or bladder respiratory system	Not classified	Rat	NOAEL 1,000 mg/kg/day	29 days
Ethyl alcohol	Inhalation	liver	Some positive data exist, but the data are not sufficient for classification	Rabbit	LOAEL 124 mg/l	365 days
Ethyl alcohol	Inhalation	hematopoietic system immune system	Not classified	Rat	NOAEL 25 mg/l	14 days
Ethyl alcohol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 8,000 mg/kg/day	4 months
Ethyl alcohol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 3,000 mg/kg/day	7 days
Silica	Inhalation	respiratory system silicosis	Not classified	Human	NOAEL Not available	occupational exposure
Polymeric acid	Ingestion	endocrine system hematopoietic system liver	Not classified	Rat	NOAEL 200 mg/kg/day	28 days
Polymeric acid	Ingestion	heart bone, teeth, nails, and/or hair immune system muscles nervous system eyes kidney and/or bladder respiratory system vascular system	Not classified	Rat	NOAEL 2,000 mg/kg/day	28 days
Aromatic amine	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 74 mg/kg/day	28 days
Aromatic amine	Ingestion	liver heart endocrine system gastrointestinal tract bone, teeth, nails, and/or hair immune system muscles nervous system eyes kidney and/or bladder respiratory system vascular system	Not classified	Rat	NOAEL 900 mg/kg/day	28 days

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SIS for additional toxicological information on this material and/or its components.

The product was evaluated by a toxicologist to be safe for its intended use.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from

3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS #	Organism	Type	Exposure	Test endpoint	Test result
Bromited dimethacrylate	2305048-54-6	Green algae	Experimental	72 hours	EC50	>100 mg/l
Bromited dimethacrylate	2305048-54-6	Water flea	Experimental	48 hours	EC50	>100 mg/l
Bromited dimethacrylate	2305048-54-6	Green algae	Experimental	72 hours	EC10	>100 mg/l
Methacrylate (HEMA)	868-77-9	Turbot	Analogous Compound	96 hours	LC50	833 mg/l
Methacrylate (HEMA)	868-77-9	Fathead minnow	Experimental	96 hours	LC50	227 mg/l
Methacrylate (HEMA)	868-77-9	Green algae	Experimental	72 hours	EC50	710 mg/l
Methacrylate (HEMA)	868-77-9	Water flea	Experimental	48 hours	EC50	380 mg/l
Methacrylate (HEMA)	868-77-9	Green algae	Experimental	72 hours	NOEC	160 mg/l
Methacrylate (HEMA)	868-77-9	Water flea	Experimental	21 days	NOEC	24.1 mg/l
Methacrylate (HEMA)	868-77-9	N/A	Experimental	16 hours	EC0	>3,000 mg/l
Methacrylate (HEMA)	868-77-9	N/A	Experimental	18 hours	LD50	<98 mg per kg of bodyweight
Phosphorylated methacrylate	1207736-18-2	Green algae	Experimental	72 hours	EC50	0.718 mg/l
Phosphorylated methacrylate	1207736-18-2	Water flea	Experimental	48 hours	EL50	>104 mg/l
Phosphorylated methacrylate	1207736-18-2	Green algae	Experimental	72 hours	NOEC	0.1 mg/l
Ethyl alcohol	64-17-5	Fathead minnow	Experimental	96 hours	LC50	14,200 mg/l
Ethyl alcohol	64-17-5	Fish	Experimental	96 hours	LC50	11,000 mg/l
Ethyl alcohol	64-17-5	Green algae	Experimental	72 hours	EC50	275 mg/l
Ethyl alcohol	64-17-5	Water flea	Experimental	48 hours	LC50	5,012 mg/l
Ethyl alcohol	64-17-5	Green algae	Experimental	72 hours	ErC10	11.5 mg/l
Ethyl alcohol	64-17-5	Water flea	Experimental	10 days	NOEC	9.6 mg/l
Silica	112945-52-5	Green algae	Analogous Compound	72 hours	ErC50	>173.1 mg/l
Silica	112945-52-5	Sediment organism	Analogous Compound	96 hours	EC50	8,500 mg/kg (Dry Weight)
Silica	112945-52-5	Water flea	Analogous Compound	24 hours	EL50	>10,000 mg/l
Silica	112945-52-5	Zebra Fish	Analogous Compound	96 hours	LL50	>10,000 mg/l
Silica	112945-52-5	Green algae	Analogous Compound	72 hours	NOEC	173.1 mg/l
Silica	112945-52-5	Water flea	Analogous Compound	21 days	NOEC	68 mg/l
Silica	112945-52-5	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
Aminopropylsilane	919-30-2	Bacteria	Experimental	5.75 hours	EC50	43 mg/l
Aminopropylsilane	919-30-2	Green algae	Experimental	72 hours	EC50	603 mg/l

Aminopropylsilane	919-30-2	Invertebrate	Experimental	48 hours	LC50	580 mg/l
Aminopropylsilane	919-30-2	Water flea	Experimental	48 hours	EC50	331 mg/l
Aminopropylsilane	919-30-2	Zebra Fish	Experimental	96 hours	LC50	>934 mg/l
Aminopropylsilane	919-30-2	Green algae	Experimental	72 hours	NOEC	1.3 mg/l
Dimethacrylate	2358-84-1	Green algae	Analogous Compound	72 hours	ErC50	17.3 mg/l
Dimethacrylate	2358-84-1	Water flea	Analogous Compound	48 hours	EC50	44.9 mg/l
Dimethacrylate	2358-84-1	Zebra Fish	Analogous Compound	96 hours	LC50	15.95 mg/l
Dimethacrylate	2358-84-1	Water flea	Analogous Compound	21 days	NOEC	5.05 mg/l
Dimethacrylate	2358-84-1	Activated sludge	Analogous Compound	3 hours	EC50	570 mg/l
Methacrylated silane	21142-29-0	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Aromatic amine	10287-53-3	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
Aromatic amine	10287-53-3	Green algae	Experimental	72 hours	EL50	2.8 mg/l
Aromatic amine	10287-53-3	Rainbow trout	Experimental	96 hours	LC50	1.9 mg/l
Aromatic amine	10287-53-3	Water flea	Experimental	48 hours	EC50	4.5 mg/l
Aromatic amine	10287-53-3	Green algae	Experimental	72 hours	ErC10	0.71 mg/l
Camphorquinone	10373-78-1	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Polymeric acid	25948-33-8	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Copper salt	6046-93-1	Green algae	Estimated	72 hours	EC50	0.33 mg/l
Copper salt	6046-93-1	Water flea	Estimated	48 hours	EC50	0.04 mg/l
Copper salt	6046-93-1	Zebra Fish	Estimated	96 hours	LC50	0.037 mg/l
Copper salt	6046-93-1	Fathead minnow	Estimated	32 days	EC10	0.019 mg/l
Copper salt	6046-93-1	Green algae	Estimated	N/A	NOEC	0.069 mg/l
Copper salt	6046-93-1	Water flea	Estimated	7 days	NOEC	0.01 mg/l
Copper salt	6046-93-1	Activated sludge	Estimated	N/A	EC50	22 mg/l
Copper salt	6046-93-1	Barley	Estimated	4 days	NOEC	50 mg/kg (Dry Weight)
Copper salt	6046-93-1	Bobwhite quail	Estimated	14 days	LD50	4,402 mg per kg of bodyweight
Copper salt	6046-93-1	Redworm	Estimated	56 days	NOEC	31 mg/kg (Dry Weight)
Copper salt	6046-93-1	Sediment Worm	Estimated	28 days	NOEC	57.5 mg/kg (Dry Weight)
Copper salt	6046-93-1	Soil microbes	Estimated	4 days	NOEC	38 mg/kg (Dry Weight)
Copper salt	6046-93-1	Springtail	Estimated	28 days	NOEC	87.7 mg/kg (Dry Weight)

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Bromited dimethacrylate	2305048-54-6	Experimental Biodegradation	28 days	CO2 evolution	3.69 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Methacrylate (HEMA)	868-77-9	Experimental Biodegradation	28 days	BOD	84 %BOD/COD	OECD 301D - Closed bottle test
Methacrylate (HEMA)	868-77-9	Experimental Hydrolysis		Hydrolytic half-life basic pH	10.9 days (t 1/2)	OECD 111 Hydrolysis func of pH
Phosphorylated methacrylate	1207736-18-2	Experimental Biodegradation	28 days	BOD	77-80 %BOD/ThOD	OECD 301F - Manometric respirometry
Ethyl alcohol	64-17-5	Experimental Biodegradation	14 days	BOD	89 %BOD/ThOD	OECD 301C - MITI test (I)
Silane treated silica	2680625-03-8	Data not availbl-insufficient	N/A	N/A	N/A	N/A
Silica	112945-52-5	Data not availbl-insufficient	N/A	N/A	N/A	N/A
Aminopropylsilane	919-30-2	Experimental Biodegradation	28 days	BOD	54 %BOD/ThOD	OECD 301C - MITI test (I)
Aminopropylsilane	919-30-2	Estimated Photolysis		Photolytic half-life (in air)	7.28 hours (t 1/2)	
Aminopropylsilane	919-30-2	Experimental Hydrolysis		Hydrolytic half-life	8.5 hours (t 1/2)	
Dimethacrylate	2358-84-1	Experimental Biodegradation	28 days	BOD	91 %BOD/ThOD	OECD 301C - MITI test (I)
Methacrylated silane	21142-29-0	Data not availbl-insufficient	N/A	N/A	N/A	N/A
Aromatic amine	10287-53-3	Experimental Biodegradation	28 days	CO2 evolution	40 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Aromatic amine	10287-53-3	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	>1 years (t 1/2)	OECD 111 Hydrolysis func of pH
Camphorquinone	10373-78-1	Modeled Biodegradation	28 days	BOD	20.6 %BOD/ThoD	Catalogic™
Polymeric acid	25948-33-8	Data not availbl-insufficient	N/A	N/A	N/A	N/A
Copper salt	6046-93-1	Analogous Compound Biodegradation	14 days	BOD	74 %BOD/ThOD	OECD 301C - MITI test (I)

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Bromited dimethacrylate	2305048-54-6	Modeled Bioconcentration		Bioaccumulation factor	5.5-6.0	Catalogic™
Bromited dimethacrylate	2305048-54-6	Experimental Bioconcentration		Log Kow	4.77	OECD 107 log Kow shke flask mtd
Bromited dimethacrylate	2305048-54-6	Experimental Bioconcentration		Log Kow	5.22	OECD 107 log Kow shke flask mtd
Bromited dimethacrylate	2305048-54-6	Experimental Bioconcentration		Log Kow	5.36	OECD 107 log Kow shke flask mtd
Methacrylate (HEMA)	868-77-9	Experimental Bioconcentration		Log Kow	0.42	OECD 107 log Kow shke flask mtd
Phosphorylated methacrylate	1207736-18-2	Modeled Bioconcentration		Log Kow	-2.02	ACD/Labs ChemSketch™
Ethyl alcohol	64-17-5	Experimental Bioconcentration		Log Kow	-0.35	
Silane treated silica	2680625-03-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Silica	112945-52-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Aminopropylsilane	919-30-2	Experimental BCF - Fish	56 days	Bioaccumulation factor	<3.4	OECD305-Bioconcentration
Dimethacrylate	2358-84-1	Experimental Bioconcentration		Log Kow	0.81	

Methacrylated silane	21142-29-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Aromatic amine	10287-53-3	Experimental Bioconcentration		Log Kow	3.2	OECD 117 log Kow HPLC method
Camphorquinone	10373-78-1	Modeled Bioconcentration		Bioaccumulation factor	7.1	Catalogic™
Camphorquinone	10373-78-1	Experimental Bioconcentration		Log Kow	1.52	
Polymeric acid	25948-33-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Copper salt	6046-93-1	Analogous Compound Bioconcentration		Log Kow	-0.17	

12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
Methacrylate (HEMA)	868-77-9	Experimental Mobility in Soil	Koc	42.7 l/kg	
Dimethacrylate	2358-84-1	Modeled Mobility in Soil	Koc	14 l/kg	Episuite™
Aromatic amine	10287-53-3	Experimental Mobility in Soil	Koc	560 l/kg	OECD 121 Estim. of Koc by HPLC
Camphorquinone	10373-78-1	Modeled Mobility in Soil	Koc	20 l/kg	Episuite™
Copper salt	6046-93-1	Analogous Compound Mobility in Soil	Koc	228 l/kg	

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Refer to Instructions for Use (IFU) for more information.

EU waste code (product as sold)

070104* Other organic solvents, washing liquids and mother liquors

SECTION 14: Transportation information

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number or ID number	UN2924	UN2924	UN2924

14.2 UN proper shipping name	FLAMMABLE LIQUID, CORROSIVE, N.O.S.(ETHANOL; 2-PROPENOIC ACID, 2-METHYL-,REACTION PRODUCTS WITH 1,10-DECANEDIOL AND PHOSPHORUS OXIDE)	FLAMMABLE LIQUID, CORROSIVE, N.O.S.(ETHANOL; 2-PROPENOIC ACID, 2-METHYL-,REACTION PRODUCTS WITH 1,10-DECANEDIOL AND PHOSPHORUS OXIDE)	FLAMMABLE LIQUID, CORROSIVE, N.O.S.(ETHANOL; 2-PROPENOIC ACID, 2-METHYL-,REACTION PRODUCTS WITH 1,10-DECANEDIOL AND PHOSPHORUS OXIDE; ACETIC ACID, COPPER (2+) SALT, MONOHYDRATE)
14.3 Transport hazard class(es)	3(8)	3(8)	3(8)
14.4 Packing group	II	II	II
14.5 Environmental hazards	Environmentally Hazardous	Not applicable	Marine Pollutant
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Marine Transport in bulk according to IMO instruments	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	FC	Not applicable.	Not applicable.
IMDG Segregation Code	Not applicable.	Not applicable.	NONE

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact the manufacturer for more information

SECTION 16: Other information

List of relevant H statements

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H360F	May damage fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision information:

A revision has been performed due to the need to update the safety information for the medical device.

The product to which this Safety Information Sheet applies is classified as a medical device according to the EU Medical Device Regulation EU 2017/745. _x000D_

Medical devices which are invasive or used in direct physical contact with the human body are exempt from the requirements of classification and labelling according to Regulation (EC) No. 1272/2008 (CLP; Article 1, paragraph 5). _x000D_

The EU Medical Device Regulation does not foresee the use of Safety Data sheets for medical devices which are invasive or used in direct physical contact with the human body, as the safe use of the product is described through the Instructions for Use and /or the labelling for the product. Nevertheless, the 3M Safety Information Sheet is provided as a further service to customers to provide additional toxicology and chemical information on the product. In case of further questions, please contact your 3M representative listed on the Safety Information Sheet.

3M United Kingdom Safety Information Sheets are available at www.3M.com/uk