

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

**SECTION 1: Identification of the substance/mixture and of the company/
undertaking**

· **1.1 Product identifier**

· **Trade name: T 32 Röntgenentwickler**

· **Article number:** 10040, 10042

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

To this day we do not have any information about the identified use at the moment.
These data are available we will add these to the safety data sheet.

· **Application of the substance / the mixture**

Photochemicals
Developer for X-ray films
Reserved for industrial and professional use.

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**

Calbe Chemie GmbH
Stadtfeld 31
D-39240 Calbe
Tel.: +49 (0)39291 425-0
Fax: +49 (0)39291 425-25
e-mail: info@calbe-chemie.de
www.calbe-chemie.de

· **Informing department:**

Tel.: +49 (0)39291 42515
E-Mail: rs@calbe-chemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 (0) 700-24112112 (CAL)
Tel.: +1 872 5888271(CAL)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**



health hazard

Muta. 2 H341 Suspected of causing genetic defects.

Carc. 2 H351 Suspected of causing cancer.



corrosion

Eye Dam. 1 H318 Causes serious eye damage.

(Contd. on page 2)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 1)



environment

Aquatic Acute 1 H400 Very toxic to aquatic life.



Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05 GHS07 GHS08 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**

hydroquinone
potassium hydroxide
4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one

· **Hazard statements**

H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.

· **Precautionary statements**

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 3)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler











(Contd. of page 2)

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Mixtures**
- **Description:** Mixture of the substances listed below with harmless additions.

· **Dangerous components:**

CAS: 123-31-9 EINECS: 204-617-8 Index number: 604-005-00-4 Reg.nr.: 01-2119524016-51-xxxx	hydroquinone  Muta. 2, H341; Carc. 2, H351  Eye Dam. 1, H318  Aquatic Acute 1, H400 (M=10)  Acute Tox. 4, H302; Skin Sens. 1, H317	2.0-5.0%
CAS: 10043-35-3 EINECS: 233-139-2 Index number: 005-007-00-2 Reg.nr.: 01-2119486683-25-xxxx	boric acid  Repr. 1B, H360FD	2.0-5.0%
CAS: 139-89-9 EINECS: 205-381-9 Reg.nr.: 01-2119972845-22-xxxx	Hydroxyethylethylenediaminetriacetic acid, trisodium salt, solution  Skin Irrit. 2, H315; Eye Irrit. 2, H319	0.5-2.0%
CAS: 1310-58-3 EINECS: 215-181-3 Index number: 019-002-00-8 Reg.nr.: 01-2119487136-33-xxxx	potassium hydroxide  Met. Corr.1, H290; Skin Corr. 1A, H314  Acute Tox. 4, H302	0.5-2.0%
CAS: 13047-13-7 EINECS: 235-920-3	4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one  Aquatic Chronic 2, H411  Acute Tox. 4, H302; Skin Sens. 1, H317	< 0.5%

· **SVHC**

10043-35-3	boric acid
------------	------------

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 3)

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information**

Personal protection for the First Aider.
Instantly remove any clothing soiled by the product.

- **After inhalation** Supply fresh air.

· **After skin contact**

Instantly wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.

· **After eye contact**

Rinse opened eye for several minutes under running water (at least 15 minutes).
Remove contact lenses, if present and easy to do.
Protect uninjured eye.
Call a doctor immediately.

· **After swallowing**

Rinse out mouth and then drink plenty of water.
Do not induce vomiting; instantly call for medical help.

· **4.2 Most important symptoms and effects, both acute and delayed**

No further relevant information available.

· **4.3 Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents**

CO₂, extinguishing powder or water jet. Fight larger fires with water spray jet or alcohol-resistant foam.

Use fire fighting measures that suit the environment.

- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

· **5.2 Special hazards arising from the substance or mixture**

Can be released in case of fire

Carbon monoxide

sulphur dioxide (SO₂)

(Contd. on page 5)

GB

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 4)

- **5.3 Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
At formation of toxic gases:
Put on breathing apparatus.
- **Additional information** The product is not flammable

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**
Wear protective clothing.
- **6.2 Environmental precautions:**
Do not allow to enter drainage system, surface or ground water.
- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose of contaminated material as waste according to item 13.
Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.
- **6.4 Reference to other sections**
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
Do not handle until all safety precautions have been read and understood.
- **Information about protection against explosions and fires:**
No special measures required.
The product is not flammable
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:**
Store only in unopened original containers.
Keep container tightly closed in a cool, well-ventilated place.
- **Information about storage in one common storage facility:**
Keep away from foodstuffs, beverages and food.
Do not store together with acids.
Store away from oxidising agents.

(Contd. on page 6)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 5)

- **Further information about storage conditions:**
 Protect from heat and direct sunlight.
 Store in a cool place.
- **Recommended storage temperature:** 5-25°C
- **Storage class**
 LGK 12
 (German Technical Rule for Hazardous Substance – TRGS 510)
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Additional information about design of technical systems:**
 No further data; see section 7.

- **Components with limit values that require monitoring at the workplace:**

123-31-9 hydroquinone	
WEL	Long-term value: 0.5 mg/m ³
1310-58-3 potassium hydroxide	
WEL	Short-term value: 2 mg/m ³

- **Additional information:**
 The lists that were valid during the compilation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
 The usual precautionary measures should be adhered to general rules for handling chemicals.
 Keep away from foodstuffs, beverages and food.
 Take off immediately all contaminated clothing.
 Wash contaminated clothing before reuse.
 Wash hands during breaks and at the end of the work.
 Avoid contact with the eyes and skin.
- **Breathing equipment:** Not necessary if room is well-ventilated.
- **Protection of hands:**
 Protective gloves.
 The protective gloves to be used must comply with the specifications of the (EU) 2016/425 and the resultant standard EN 374.
 This recommendation applies only to the product stated in the Safety Data Sheet and supplied by us as well as to the purpose specified by us.

(Contd. on page 7)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 6)

Only use chemical-protective gloves with CE-labelling of category III.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Thickness	Breakthrough time	
	(mm)	(min)
Nitril rubber	0,38	> 480
Neoprene	0,65	> 240
Butyl rubber	0,36	> 480

Avoid natural rubber gloves.

· **As protection from splashes gloves made of the following materials are suitable:**

Synthetic gloves
 Value for the permeation: Level:
 ≥ 3 (60 min)

· **Eye protection:** Safety glasses

· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form:	Fluid
Colour:	Light yellow
· Odour:	Nearly odourless
· Odour threshold:	Not determined.

· **pH-value at 25 °C:** 11.1

· **Change in condition**

Melting point/freezing point:	Not determined
Initial boiling point and boiling range:	> 100 °C

· **Flash point:** Not applicable

· **Inflammability (solid, gaseous)** Not applicable.

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 7)

· Critical values for explosion:	
· Upper:	
Oxidising properties	None
· Vapour pressure at 20 °C: 23 hPa	
· Density at 20 °C 1.286 g/cm ³	
· Relative density Not determined.	
· Evaporation rate Not determined	
· Solubility in / Miscibility with Water: miscible	
· Viscosity:	
dynamic:	Not determined
kinematic:	Not determined
· Solvent content:	
Organic solvents:	0.0 %
Water:	~ 80 %
· 9.2 Other information No further relevant information available.	

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:**
No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

(Contd. on page 9)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 8)

· **LD/LC50 values that are relevant for classification:**

ATE (Acute Toxicity Estimates)

Oral	LD50	6,406 mg/kg (rat)
Dermal	LD50	> 23,136 mg/kg (rat)

123-31-9 hydroquinone

Oral	LD50	320 mg/kg (rat)
Dermal	LD50	> 900 mg/kg (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye damage.
- **Respiratory or skin sensitisation**
May cause an allergic skin reaction.
- **Subacute to chronic toxicity:**
Limited evidence of a carcinogenic effect.
Possible risk of irreversible effects.
- **Additional toxicological information:**
At present there are no animal experimental data.
This statement was deduced from the properties of the single components.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity**
Suspected of causing genetic defects.
- **Carcinogenicity**
Suspected of causing cancer.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure**
Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

123-31-9 hydroquinone

LC50/96 h	0.044 mg/l (Pimephales promelas)
EC50/48 h	0.29 mg/l (Daphnia magna)

(Contd. on page 10)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 9)

IC50/72 h	0.335 mg/l (Senastrum capricornutum)
-----------	--------------------------------------

- **12.2 Persistence and degradability** No further relevant information available.
- **Behaviour in environmental systems:** Not determined
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Ecotoxic effects:** No further relevant information available.
- **Remark:** Very toxic for fish
- **Additional ecological information:**
- **General notes:**
 This statement was deduced from the properties of the single components.
 Water hazard class 1 (German Regulation) (Self-assessment): Weakly water-endangering.
 Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
 At present there are no ecotoxicological assessments.
 Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
 Very toxic for aquatic organisms
 The product does not contain organically bounded halogens (AOX-free).
 Rinse off of bigger amounts into drains or the aquatic environment may lead to increased pH-values. A high pH-value harms aquatic organisms. In the dilution of the use-level the pH-value is considerably reduced, so that after the use of the product the aqueous waste, emptied into drains, is only low water-dangerous.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
 Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 Must be specially treated under adherence to official regulations.
 Small amounts may be diluted with plenty of water and washed away. Dispose of bigger amounts in accordance with Local Authority requirements.

(Contd. on page 11)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0



Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 10)

- **Uncleaned packagings:**
- **Recommendation:**
Packagings that cannot be cleaned are to be disposed of in the same manner as the product.
EAK-No. 15 01 10
Non contaminated packagings can be used for recycling.
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN-Number	
· ADR/RID, IMDG, IATA	UN3082
· 14.2 UN proper shipping name	
· ADR/RID, IMDG, IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (hydroquinone)
· 14.3 Transport hazard class(es)	
· ADR/RID, IATA	
	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· IMDG	
	
· Class	9 Miscellaneous dangerous substances and articles.
· Label	9
· 14.4 Packing group	
· ADR/RID, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: hydroquinone

(Contd. on page 12)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 11)

<ul style="list-style-type: none"> · Marine pollutant: Yes · Special marking (ADR/RID): Symbol (fish and tree) · Special marking (IATA): Symbol (fish and tree) 	
<ul style="list-style-type: none"> · 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. · Kemler Number: 90 · EMS Number: F-A,S-F · Stowage Category A 	
<ul style="list-style-type: none"> · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code Not applicable. 	
<ul style="list-style-type: none"> · Transport/Additional information: These substances when transported in single or combination packagings containing a net quantity per single or inner packaging of 5 l or less for liquids or having a net mass of 5 kg or less for solids, are not subject to any other provisions of these Regulations provided the packagings meet the general. See the following notes. 	
<ul style="list-style-type: none"> · ADR/RID · Limited quantities (LQ) · Excepted quantities (EQ) · Transport category · Tunnel restriction code 	<p>Goods are not subject to the provisions in accordance with the special provision 375 ADR.</p> <p>5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p> <p>3 (-)</p>
<ul style="list-style-type: none"> · IMDG · Limited quantities (LQ) · Excepted quantities (EQ) 	<p>Goods are not subject to the provisions in accordance with 2.10.2.7 IMDG-Code.</p> <p>5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>

(Contd. on page 13)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 12)

· IATA	Goods are not subject to the provisions in accordance with the special provision A197 IATA-DGR.
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HYDROQUINONE), 9, III

SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS05 GHS07 GHS08 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**

hydroquinone
potassium hydroxide
4-(hydroxymethyl)-4-methyl-1-phenylpyrazolidin-3-one

· **Hazard statements**

H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H341 Suspected of causing genetic defects.
H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.

· **Precautionary statements**

P273 Avoid release to the environment.
P280 Wear protective gloves / eye protection.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

(Contd. on page 14)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 13)

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 100 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 200 t
- **National regulations**
- **Information about limitation of use:**
Employment restrictions concerning pregnant and lactating women must be observed.

· **Decree to be applied in case of technical fault:**

Class	Share in %
I	3.9

- **Water hazard class:**
Water hazard class 1 (Self-assessment): weakly water-endangering.
- **Other regulations, limitations and prohibitive regulations**

· **Substances of very high concern (SVHC) according to REACH, Article 57**

10043-35-3	boric acid
------------	------------

- **15.2 Chemical safety assessment:**
A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H360FD May damage fertility. May damage the unborn child.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.

(Contd. on page 15)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 28.10.2022

Version 12.0

Revision: 09.08.2022

Trade name: T 32 Röntgenentwickler

(Contd. of page 14)

- **Recommended restriction of use** No public product, only for commercial use
- **Department issuing data specification sheet:**
Laboratory
Tel.: +49 (0)39291 425-15
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Met. Corr. 1: Corrosive to metals – Category 1
Acute Tox. 4: Acute toxicity – Category 4
Skin Corr. 1A: Skin corrosion/irritation – Category 1A
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
Skin Sens. 1: Skin sensitisation – Category 1
Muta. 2: Germ cell mutagenicity – Category 2
Carc. 2: Carcinogenicity – Category 2
Repr. 1B: Reproductive toxicity – Category 1B
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
- **Sources**
applicable EEC directives:
 - 1907/2006
 - 1272/2008Internal physical tests, MSDS of the ingredients,
Information system on hazardous substances of the German Social Accident Insurance (GESTIS-database on hazardous substances), <http://www.dguv.de/ifa/en/gestis/stoffdb/index.jsp>
- *** Data compared to the previous version altered.**

GB